


JCM 215 Long Ductile Iron Couplings



JCM Introduces the 215 Long Ductile Iron Coupling. This extra-long coupling provides a wide range, accommodates wide gaps between pipe ends, reduces inventory and fits both cast iron and A/C Class 150 pipe in the popular 4", 6" & 8" sizes. The JCM 215 utilizes the same JCM original transition gasket system. One coupling replaces two or more standard couplings. Unique transition gaskets change standard couplings into transition couplings, eliminating the need to stock transition couplings or color-coded end rings, gaskets and loose parts.

215 LONG DUCTILE IRON COUPLINGS

NOM. PIPE SIZE (IN.)	PIPE O.D. RANGE (IN.)	CATALOG NUMBER	FITS TYPE AND CLASS OF PIPE	NO. OF BOLTS	COUPLING LENGTH (IN.)	APPR. WT. EACH (LBS.)
2	2.34 - 2.63	215-0250	STEEL, PVC, CI	2	10	16
2-1/2	2.62 - 2.92	215-0288	CI, STEEL, PVC	2	10	18
3	3.50	215-0350	STANDARD IPS & SCHEDULE PIPE	3	12	30
3	3.80 - 4.17	215-0396	CI, DI, A/C 150	3	12	30
4	4.50	215-0450	STANDARD IPS & SCHEDULE PIPE	4	12	35
4	4.80 - 5.10	215-0480	CI, DI, A/C 150, C-900PVC	4	12	35
4	5.10 - 5.40	215-0535	A/C	4	12	39
6	6.63	215-0663	STANDARD IPS & SCHEDULE PIPE	5	12	42
6	6.90 - 7.20	215-0690	CI, DI, A/C 150, C-900 PVC	5	12	42
6	7.20 - 7.55	215-0740	A/C	5	12	54
8	8.63	215-0863	STANDARD IPS & SCHEDULE PIPE	6	12	65
8	9.05 - 9.40	215-0905	CI, DI, A/C 150, C-900 PVC	6	12	65
8	9.40 - 9.75	215-0960	A/C	6	12	71
10	10.75	215-1075	STANDARD IPS & SCHEDULE PIPE	7	12	79
10	11.10 - 11.40	215-1110	CI, DI, C-900 PVC	7	12	79
10	11.60 - 12.05	215-1200	A/C	7	12	87
12	12.75	215-1275	STANDARD IPS & SCHEDULE PIPE	8	12	111
12	13.20 - 13.50	215-1320	CI, DI, C-900 PVC	8	12	111
12	13.92 - 14.40	215-1420	A/C, STEEL	8	12	118

Note: Applications in which pipe may move out of the coupling, correct anchorage of the pipe must be provided.

MATERIAL SPECIFICATIONS:

SLEEVE & FLANGES: Ductile Iron ASTM A536

GASKETS: Specially compounded new rubber polymer for superior shelf life and resistance to permanent set. Recommended for water, salt solutions, mild acids and bases.

BOLTS: Corrosion resistant, high strength low alloy bolts and nuts (AWWA C-111, ANSI A21.11). Optional Stainless Steel, 18-8 Type 304.

FINISH: Heavy coating of corrosion resistant metal primer. Optional Fusion applied Epoxy Coating available.

JCM Industries bolted couplings meet or exceed the ANSI/AWWA C-219 Standard as applicable.

